

SAFETY DATA SHEET

1. Identification

Product identifier	Hot Applied Waterproofing Membrane
Other means of identification	None.
Recommended use	Waterproofing
Recommended restrictions	None known.
Manufacturer/Importer/Suppl	ier/Distributor information
Manufacturer:	Crafco, Inc.
Address:	6165 West Detroit St.
	Chandler, AZ 85226 USA
Contact Name:	Crafco Materials Engineering
Telephone:	602-276-0406
E-mail:	sales@crafco.com
CHEMTREC:	800-424-9300 (North America)
	+ 1-703-527-3887 (International)

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Not classified.	
Environmental hazards	Not classified.	
OSHA defined hazards Not classified.		
No hazards resulting from the material as supplied.		

Label elements

Hazard symbol	None.
Signal word	Not applicable.
Hazard statement	Not applicable.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ASPHALT		8052-42-4	40 - 70
Distillates (petroleum), hydrotreated heavy naphthenic	I	64742-52-5	0 - 25
Other components below reportable	levels		49.39

4. First-aid measures

Inhalation	Get medical attention, if needed.
Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Thoroughly wash (or discard) clothing and shoes before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion	Rinse mouth. Do not induce vomiting. Do not use mouth-to-mouth method if victim ingested the substance. Call a POISON CENTER or doctor/physician if you feel unwell.
Most important symptoms/effects, acute and delayed	Not available.
Indication of immediate medical attention and special treatment needed	In case of ingestion, the decision of whether or not to induce vomiting should be made by the attending physician. Certain pre-existing conditions may make workers particularly susceptible to the effects of this chemical: asthma, allergies, impaired pulmonary function. Treat symptomatically.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Discard any shoes or clothing items that cannot be decontaminated.
5. Fire-fighting measure	S

5 5	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Addition of water or foam to the fire may cause frothing.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases. Development of hazardous combustion gases or vapours possible in the event of a fire. The following may develop: Acrolein.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Firefighters should wear full protective clothing including self contained breathing apparatus. Structural firefighters protective clothing will only provide limited protection.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. ALWAYS stay away from tanks engulfed in flame. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. In the event of fire, cool tanks with water spray. By fire, toxic gases may be formed (COx, NOx). Keep run-off water out of sewers and water sources. Dike for water control.
Specific methods	In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray. Use water spray to cool unopened containers.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Methods and materials for containment and cleaning up	 Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Ventilate closed spaces before entering them. Do not touch or walk through spilled material. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Large Spills: Do not touch or walk through spilled material. Sweep up or vacuum up spillage and collect in suitable container for disposal. Following product recovery, flush area with water. Small Dry Spills: With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.
Environmental precautions	Never return spills in original containers for re-use. Prevent further leakage or spillage if safe to do so. Avoid from entering into soil, ditches, sewers, waterways and/or groundwater.
7. Handling and storage	
Precautions for safe handling	The product is non-combustible. If heated, irritating vapors may be formed. Do not use in areas without adequate ventilation. Do not eat, drink or smoke when using the product. Wash hands thoroughly after handling. Wash hands after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a well-ventilated place. Keep the container tightly closed and dry. Store in a closed container away from incompatible materials. Keep out of the reach of children.

8. Exposure controls/personal protection

Occupational exposure limits

Components	nissible Exposure Li Typ	• •		alue	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	PEL		5	mg/m3	Mist.
US. ACGIH Threshold Lir Components	nit Values (TLV) Typ	e	v	alue	Form
ASPHALT (CAS 8052-42-4)	TWA	4	0.	.5 mg/m3	Inhalable fume.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	A	5	mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guid Components	e to Chemical Hazar Typ		-	nits (REL) alue	Form
ASPHALT (CAS 8052-42-4)	Ceili	ing	5	mg/m3	Fume.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceili	ing	18	800 mg/m3	
,	STE	L	10) mg/m3	Mist.
	TWA	4	3!	50 mg/m3	
Components ASPHALT (CAS 8052-42-4)	Value 2.5 μg/l	Determinant 1-Hydroxypyren e, with	Specimen Urine	Sampling T *	ime
		hydrolysis (1-HP)			
* - For sampling details, ple					
propriate engineering ntrols		ventilation, including sure limit is not exce		al extraction, to	ensure that the defined
dividual protection measu					
Eye/face protection	•	s; chemical goggles		possible). Wear	chemical goggles; face shi
Eye/face protection Skin protection	Wear safety glasse (if handling molten	s; chemical goggles material).	(if splashing is		
Eye/face protection	Wear safety glasse (if handling molten	s; chemical goggles material).	(if splashing is		
Eye/face protection Skin protection	Wear safety glasse (if handling molten Chemical resistant gloves.	s; chemical goggles material).	(if splashing is nded. If contac	t with forearms	chemical goggles; face shi is likely wear gauntlet style npervious apron is
Eye/face protection Skin protection Hand protection	Wear safety glasse (if handling molten Chemical resistant gloves. Wear suitable prote recommended.	s; chemical goggles material). gloves are recomme ective clothing and e facing concentration	(if splashing is nded. If contac ye/face protect	t with forearms ion. Use of an ir	is likely wear gauntlet style
Eye/face protection Skin protection Hand protection Other	Wear safety glasse (if handling molten Chemical resistant gloves. Wear suitable proto recommended. When workers are certified respirators	s; chemical goggles material). gloves are recomme ective clothing and e facing concentration	(if splashing is nded. If contac ye/face protect s above the ex	t with forearms ion. Use of an ir	is likely wear gauntlet style npervious apron is
Eye/face protection Skin protection Hand protection Other Respiratory protection	 Wear safety glasse (if handling molten Chemical resistant gloves. Wear suitable prote recommended. When workers are certified respirators During product use When using do not 	s; chemical goggles material). gloves are recomme ective clothing and e facing concentration s. e, there is a risk of th	(if splashing is nded. If contac ye/face protect s above the ex termal burns. ct with eyes. A	t with forearms ion. Use of an ir posure limit they void contact with	is likely wear gauntlet style npervious apron is v must use appropriate h skin. Keep away from foo
Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards eneral hygiene nsiderations	Wear safety glasse (if handling molten Chemical resistant gloves. Wear suitable prote recommended. When workers are certified respirators During product use When using do not and drink. Handle	s; chemical goggles material). gloves are recomme ective clothing and e facing concentration s. e, there is a risk of th t smoke. Avoid conta	(if splashing is nded. If contac ye/face protect s above the ex termal burns. ct with eyes. A	t with forearms ion. Use of an ir posure limit they void contact with	is likely wear gauntlet styl npervious apron is v must use appropriate h skin. Keep away from fo
Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards meral hygiene nsiderations Physical and chemic	Wear safety glasse (if handling molten Chemical resistant gloves. Wear suitable prote recommended. When workers are certified respirators During product use When using do not and drink. Handle	s; chemical goggles material). gloves are recomme ective clothing and e facing concentration s. e, there is a risk of th t smoke. Avoid conta	(if splashing is nded. If contac ye/face protect s above the ex termal burns. ct with eyes. A	t with forearms ion. Use of an ir posure limit they void contact with	is likely wear gauntlet styl npervious apron is v must use appropriate h skin. Keep away from fo
Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards eneral hygiene	Wear safety glasse (if handling molten Chemical resistant gloves. Wear suitable proto recommended. When workers are certified respirators During product use When using do not and drink. Handle	s; chemical goggles material). gloves are recomme ective clothing and e facing concentration s. e, there is a risk of th t smoke. Avoid conta	(if splashing is nded. If contac ye/face protect s above the ex termal burns. ct with eyes. A	t with forearms ion. Use of an ir posure limit they void contact with	is likely wear gauntlet style npervious apron is v must use appropriate h skin. Keep away from foo
Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards meral hygiene nsiderations Physical and chemic pearance	Wear safety glasse (if handling molten Chemical resistant gloves. Wear suitable prote recommended. When workers are certified respirators During product use When using do not and drink. Handle all properties Solid.	s; chemical goggles material). gloves are recomme ective clothing and e facing concentration s. e, there is a risk of th t smoke. Avoid conta	(if splashing is nded. If contac ye/face protect s above the ex termal burns. ct with eyes. A	t with forearms ion. Use of an ir posure limit they void contact with	is likely wear gauntlet styl npervious apron is v must use appropriate h skin. Keep away from fo

Product is a black, semi-solid with a burnt tar odor.

Not available.

Odor

Odor threshold

рН	Not available.			
Melting point/freezing point	> 150 - < 250 °F (> 65.56 - < 121.11 °C) ASTM D36 Softening Point			
Initial boiling point and boiling range	>800 °F (>426.67 °C)			
Flash point	>400.0 °F (>204.4 °C)			
Evaporation rate	Not available.			
Flammability (solid, gas)	Not available.			
Upper/lower flammability or e	explosive limits			
Explosive limit - lower (%)	Not available.			
Explosive limit - upper (%)	Not available.			
Vapor pressure	Not available.			
Vapor density	Not available.			
Relative density	Not available.			
Solubility(ies)				
Solubility (water)	Not available.			
Partition coefficient (n-octanol/water)	Not available.			
Auto-ignition temperature	>700 °F (>371.11 °C)			
Decomposition temperature	Not available.			
Viscosity	Not available.			
Other information				
Density	Not Available			
Percent volatile	0 %			
Specific gravity	> 1 - < 1.9			
10 Stability and reactivi	t ₁ /			

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.		
Chemical stability	Material is stable under normal conditions.		
Possibility of hazardous reactions	Hazardous polymerization does not occur.		
Conditions to avoid	Strong oxidizing agents.		
Incompatible materials	Incompatible with oxidizing agents.		
Hazardous decomposition products	Upon decomposition, product emits acrid dense smoke with carbon dioxide, carbon monoxide, trace oxides of nitrogen and sulfur, and water.		

11. Toxicological information

Information on likely routes of exposure

intervention on intervention of			
Inhalation	May cause irritation to the respiratory system.		
Skin contact	Prolonged skin contact may cause temporary irritation.		
Eye contact	Causes eye irritation. Molten material will produce thermal burns.		
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.		
Symptoms related to the physical, chemical and toxicological characteristics	Not available.		
Information on toxicological e	effects		
Acute toxicity			
Components	Species	Test Results	
ASPHALT (CAS 8052-42-4)			
<u>Acute</u>			
Dermal			
LD50	Rabbit	> 2000 mg/kg	

Components	Species	Test Results
Oral		
LD50	Rat	> 5000 mg/kg
* Estimates for product may b	e based on additional compone	nt data not shown.
Skin corrosion/irritation	Defats the skin.	
Serious eye damage/eye irritation	Direct contact with eyes may	cause temporary irritation.
Respiratory or skin sensitization	on	
Respiratory sensitization	Not available.	
Skin sensitization	Not available.	
Germ cell mutagenicity	No data available to indicate p mutagenic or genotoxic.	roduct or any components present at greater than 0.1% are
Carcinogenicity	This product is not considered	to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall	Evaluation of Carcinogenic	ty
(CAS 64742-52-5)	drotreated heavy naphthenic	3 Not classifiable as to carcinogenicity to humans.
• • •	ed Substances (29 CFR 1910).1001-1053)
Not listed.	ogram (NTP) Report on Car	rinogens
ASPHALT (CAS 8052-42-4		Known To Be Human Carcinogen.
Reproductive toxicity	Contains no ingredient listed a	-
Specific target organ toxicity - single exposure	Not available.	
Specific target organ toxicity - repeated exposure	Not available.	
Aspiration hazard	Not available.	
Chronic effects	Prolonged inhalation may be h leading to discomfort and der	narmful. Frequent or prolonged contact may defat and dry the skin, natitis.
12. Ecological informatio	n	
Ecotoxicity	Not expected to be harmful to	aquatic organisms.
Persistence and degradability	Not available.	
Bioaccumulative potential	Not available.	
Mobility in soil	Not available.	
Other adverse effects	Not available.	
13. Disposal consideration	ons	
Disposal instructions	Dispose of contents/container	in accordance with local/regional/national/international regulations.
Hazardous waste code	Not applicable.	· - · · · · ·
Waste from residues / unused products	Dispose of in accordance with	local regulations.
Contaminated packaging	Offer rinsed packaging materi	al to local recycling facilities.
14. Transport informatio	n	
DOT		
Not regulated as dangerous as		

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available. Annex II of MARPOL 73/78

and the IBC Code **General information**

Not regulated as dangerous goods.

:..**£**. ----

15. Regulatory Informat	ion	
US federal regulations	All components are on the U.S. EPA TSCA Inventory List.	
Toxic Substances Control ((TSCA)	Act	
TSCA Section 12(b) Ex Not regulated.	port Notification (40 CFR 707, Subpt. D)	
CERCLA Hazardous Substa	nce List (40 CFR 302.4)	
ASPHALT (CAS 8052-42-4	4) Listed.	
SARA 304 Emergency rele	ase notification	
Not regulated.		
	ed Substances (29 CFR 1910.1001-1053)	
Not listed.		
Superfund Amendments and F SARA 302 Extremely haza	Reauthorization Act of 1986 (SARA) rdous substance	
Not listed.		
SARA 311/312 Hazardous chemical	No	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pollutants (HAPs) List	
ASPHALT (CAS 8052-42-4	4)	
Clean Air Act (CAA) Sectio	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	WARNING: This product contains a chemical known to the State of C	alifornia to cause cancer.
US. California. Candida 69502.3, subd. (a))	ate Chemicals List. Safer Consumer Products Regulations (Cal.	Code Regs, tit. 22,
ASPHALT (CAS 8052	-42-4)	
Distillates (petroleun	n), hydrotreated heavy naphthenic (CAS 64742-52-5)	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

European List of Notified Chemical Substances (ELINCS)

Inventory of Existing and New Chemical Substances (ENCS)

Philippine Inventory of Chemicals and Chemical Substances

Taiwan Chemical Substance Inventory (TCSI)

Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

Existing Chemicals List (ECL)

New Zealand Inventory

(EINECS)

(PICCS)

Issue date	01-07-2015
Revision date	05-09-2024
Version #	02

Europe

Japan

Korea New Zealand

Philippines

United States & Puerto Rico

Taiwan

1

No

Yes

Yes

Yes

Yes

No

Yes

NFPA ratings	Health: 0 Flammability: 0 Instability: 0
References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.